# ASBESTOS DEMOLITION AND RENOVATION (D/R) FIELD DATA COLLECTION CHECKLIST

### I. GENERAL INFORMATION

Site Name:	
Location:	
Date of Inspection:	Time of Inspection:
Weather Conditions:	
Inspector(s):	
Notification Received? Yes (date):	No:
Reason for Inspection:	
Routine Compliance Inspection	Citizen Complaint:
Suspected Non-notifier	State Oversight/Joint
Other (explain)	

### II REMOTE OBSERVATIONS

Using the space provided, draw a sketch of the suspected abatement area. Draw the building or other source of suspect ACM, waste storage area(s), location(s) of debris, land use surrounding site, vehicles of importance, etc. Estimate and indicate dimensions and distances as accurately as possible on the drawing.

# REMOTE OBSERVATION SKETCH

		<b>5</b> 7	N.T.
Visible emissions	to the outside air?	Yes	No
	ecific location (e.g., door, window, waste storage ag to remote observation sketch.		
area, etc.) Referri			
area, etc.) Referri			
area, etc.) Referri		Yes	No
	oris observed outside removal area?	Yes	No

		Yes	No
3.	Are vehicles being used to haul suspect ACWM properly marked? [61.150(c)]		
1.	Land use surrounding site (i.e., residential, schools, businesses, etc.):		
	a. Distance to the closest residence/public building from the D/R site:		
	b. Number of residences or occupied buildings on adjacent properties or lots:		
	c. Distance to pedestrian walkway, street, or thoroughfare from site:		
	d. Additional information indicating potential public exposure:		
5.	Building/Structure Information		
	a. Use (office, retail, industry, school, etc):		
	b. Brief physical description of building involved in $D/R$ (number of floors, dimensions, etc.):		
	c. Year Constructed: Year(s) Renovated:		

# III. PRE-INSPECTION INTERVIEW

1.	Credentials shown:	Yes	No
	Agency identification		
	Medical monitoring certification		
2.	Name and position of person being interviewed (include company name);		
3.	Establish identity of owner/operator(s):		
	a. Owner Name:		
	b. Main Contact Person and Title:		
	c. Mailing Address:		
	d. Telephone Number: ( )		
4.	Describe any changes/modifications/discrepancies to the information provided in the notification:		
5.	Prime Contractor (provide the following information for each contractor related to the D/R job):		
	a. Company Name:		
	b. Main Contact Person and Title:		

d. Telephone Number: ( )
e. Contractor's Responsibilities as Job:
f. Number of employees involved in job:
g. Number of on-site employees trained in asbestos removal:
h. Name of Supervisor (if different from 5 b.):
i. What type of asbestos training has the supervisor had?
On-site Representative  a. If applicable, name of on-site representative who has had required training in the provisions of the NESHAP regulation (effective 1 year after promulgation of the revised NESHAP):
a. If applicable, name of on-site representative who has had required training in the provisions of the NESHAP regulation (effective 1 year after promulgation of the revised

d. Telephone Number: ( )	
e. Responsibilities at Job:	
f. Number of employees involved in job:	
g. Number of on-site employees trained in asbestos removal:	
h. Name of Supervisor:	
i. What type of asbestos training has the supervisor had?	
Activity Description	
	Yes N
a. Is more than one project occurring at the facility?	
(If yes, complete a separate checklist for each or differentiate ac	ecordingly.)
b. Type of Activity:	
Demolition Ordered Demolition Planned Renov	vation
Nonscheduled Operation Emergency Renovation	-
c. Describe the Project and indicate its current phase:	

e. Abatement starting date:
SITE INSPECTION OBSERVATIONS
Types of Suspect ACM
Insulation
Pipe insulation (felt, air cell, premolded, asbestos cement)
Block insulation
Surfacing Materials
Plaster Spackling compound Stucco
Joint compound Sprayed-on (acoustical, decorative or insulative)
Miscellaneous
Ceiling tiles Acoustical tiles
Category II Nonfriable ACM
Extrusion panels Clapboards/shingles Millboard
Vinyl wallpaper Pegboard Putties Sealants
Adhesives (mastics) Concrete/asbestos pipe
Paints and coatings

Other (Specify)			
omer (speedy)			
Quantity Determination [61.145(a)]			
Complete Attachment A (Quantification of ACM) and the f	following:		
Linear footage of ACM present on pipes:			_
Square footage of ACM present on other facility compone	ents:		-
Amount of ACM off facility components where the amoun pipes and other facility components is unknown:	-	•	C
Method of measuring or estimating amount of ACM prese	ent:		
	Yes	No	<b>N</b> A
EMISSION Control Procedures [61.145(c)]			
Facility ordered demolished (removal not required):			_
If yes,			
a. Governmental agency ordering demolition:			

		Yes	No	N/A
	c. Visible dust emissions:			
2.	Category I Nonfriable ACM not in poor condition and not friable? (Removal not required)			
3.	Encased in concrete (removal not required)			
	If "yes" adequately wetted whenever exposed during demolition?			
4.	ACM not discovered until after demolition began and cannot be safely removed (removal not required)			
	If "yes" adequately wet at time of inspection?			
5.	Category II Nonfriable with low probability of becoming crumbled, pulverized or reduced to a powder during demolition? (removal not required)			_
6.	Unit/section removal:			
	a. ACM adequately wet whenever exposed?			
	b. Lowered to floor and ground level without disturbing ACM?			
7.	Stripping in place?			
	If "yes",			
	a. ACM adequately wet while being stripped and until collected and contained or treated in preparation for disposal?			
	b. Carefully lowered to floor or ground?			
	c. Transported to ground via leak-tight chutes or containers (if removed or stripped >50 feet above ground level and not removed as units or in sections?	_	_	

	Yes	No	N/A
Temperature at point of wetting below 32EF?			
If yes,			
a. Regulated facility components being removed as units or sections?			
b. Visible emissions to the outside air?			
c. Required records kept regarding cessation of wetting?			
d. Records available for inspection:			
Has the owner/operator been granted an exemption from wetting?			
a. Reason for exemption			
b. Who granted the exemption?			
c. Is one of the following emission control techniques in use?	)		
Local exhaust ventilation and collection system?			
Glove-bag system?			
Leak-tight wrapping?			
Equivalent approved method (with approval kept at the worksite)?			
d. Are there visible emissions tot he outside air?			

	Yes	No	N/A
Is the facility being demolished by intentional burning?			
If yes, has all ACM (including Categories I and II) been removed before burning?			
Is Category I Nonfriable ACM being sanded, ground, or abraded?			
If yes,			
a. Are visible emissions produced?			
b. Is the ACM adequately wet?			
c. Is a local exhaust and ventilation and collection system being used?			
Are large facility components being removed without the ACM being stripped?			
If yes,			
a. Is the ACM being disturbed or damaged in any way?			
b. Is the component encased in a leak-tight wrapping labeled appropriately during all loading and unloading operations and during storage?			
<b>Evaluation of Wetting</b>			
Is there a water or wetting agent supply?			
What equipment is used to apply it?			

	Yes	No	N/A
Is water or a wetting agent observed being sprayed on suspect ACM during:			
a. removal of units or sections?			
b stripping?			
c. government-ordered demolition?			
Is there visible dust (airborne or settled), dry suspect ACM or ACWM debris in the immediate vicinity of the operation?			
Upon examination of some removed ACM, does the full depth of the ACM appear to have been wetted?			
Describe how the ACM changes when it is wetted (e.g., color, texture, weight, etc):			
Is ACM awaiting containerization adequately wet throughout?			
If not, describe:			
Is ACM in bags or other containers adequately wet? (Follow sampling procedures detailed in "Asbestos NESHAP Demolition and Renovation Inspection Procedures Field Manual")			
If not, describe:			
Are there any open or ripped waste bags in the waste storage area?			
How many?			
Are the contents of these bags adequately wet?			

	Waste Disposal (61.150)					
		Yes	No	N/A		
	Are there visible emissions to the outside air?					
	Is there any suspect ACM dust or debris on the ground?					
If yes, describe the quantity and location of the material and collect samples for analysis (sketch and photograph as necessary):						
	Is the owner/operator choosing an alternative to the "no visible emission" standard?					
	If yes, which of the following options is in use:					
Treat with water and put into leak-tight, labeled containers:						
	Is the ACM adequately wet?					
	Are the Containers leak-tight?					
	Are the containers properly labeled?					
	Process into Nonfriable forms					
	Alternative method approved by Administrator					

Name and title of approving official:			
	Yes	No	N/A
Is ACWM being generated during an ordered demolition or demolition where ACM is not required to be removed?			
If yes, is the ACWM kept:			
a. adequately wet after demolition?			
b. wet during handling and loading for transport to a disposal site?			
(Sealing in leak-tight containers or wrapping not required - may be transported and disposed of in bulk)			
Are containers of ACWM destined for off-site transport labeled with the name of the waste generator and the location of its generation?			
Is all ACWM (excluding Category I Nonfriable in good condition) disposed of properly as soon as is practical?			
Are vehicles used in the transport of ACWM marked appropriately during loading and unloading?			
Waste Shipment Records			
The following information may not be available onsite:			
a. Are appropriate waste shipment records maintained?			
b. Has a signed copy of the waste shipment record been received by the generator from the waste disposal facility within 35 days?			